


PVC tehalit.queraz

Trunking for installation

tehalit.queraz trunking for installation in PVC is ideal for electrical equipments in commercial premises.



Your benefits:

- Compatible with all the sockets 45 x 45 of the market.
- Lots of accessories and adjustable corners for a perfect fitting.
- Upper part is curved or flat and can be mounted as plinth or apron, horizontally or vertically.

Technical characteristics:

- 8 sizes in PVC (54 x 54 to 56 x 207 mm)
- 13 accessories ensure mechanical protection continuity for all the circuit (IP40) according to NF C 15-100.
- Available in several colours and materials: pure white (PVC)

Expert tips

1



A complete range

1 to 3 compartments, PVC or aluminium.

2



Pre-cut partitions

Partitions are pre-cut to ease wiring.

3



High capacity

Profiles are designed for a higher capacity wiring in a compact space.

4



Handy accessories

Adjustable partition (from size 56 x 85 mm).

5



Trunking adapted socket outlets

systo special trunking was developed for direct fixing.

tehalit.queraz PVC: trunking for installation













With direct locking system

Delivery information: Base pre-drilled (except GBD500500), lid (opening with screwdriver).







Standard length: 2 m. Other length on demand, max. 6 m.

Material: Rigid PVC, accessories in ABS. Protection category: IP40, IK07.

- Trunking volume and dimensions, see page J.29 and J.30
- Cross section and diameter of cables, see page J.28
- Accessories dimensions, see page J.33

		Base and lid	Partition	Adjustable internal corner 83° to 97°	Extension for internal corner 97° to 140°	Adjustable external corner 83° to 140°
						
		Cat. ref.	Cat. ref.	Cat. ref.	Cat. ref.	Cat. ref.
	pure white	GBD5005009010				
	black	GBD5005009011	L4369			
	packaging	16 m	72 m			
	pure white	GBD5008509010		L44719010		L44729010
	black	GBD5008509011	L4369	L44719011		L44729011
	packaging	16 m	72 m	5 pieces		5 pieces
	pure white	GBD5010009010		L43619010	L43649010	L43629010
	black		L4369			
	packaging	16 m	72 m	5 pieces	5 pieces	5 pieces
	pure white	GBD5013109010		L43919010	L43949010	L43929010
	black	GBD5013109011	L4369	L43919011		L43929011
	packaging	12 m	72 m	5 pieces	5 pieces	5 pieces
	pure white	GBD5016009010		L43819010	L43849010	L43829010
	black		L4369			
	packaging	8 m	72 m	4 pieces	4 pieces	4 pieces
	pure white	GBD5016109010		L43419010	L43459010	L43429010
	black	GBD5016109011		L43419011		L43429011
	packaging	8 m		4 pieces	4 pieces	4 pieces
	pure white	GBD5019009010		L44119010	L44149010	L44129010
	black		L4369			
	packaging	8 m	72 m	4 pieces	4 pieces	4 pieces

Colour: pure white (9010) black (9011)

Flat corner	T-piece	3D internal corner	Coupling piece pack	End cap	Joint cover
					
Cat. ref.	Cat. ref.	Cat. ref.	Cat. ref.	Cat. ref.	Cat. ref.
				L44339010 L44339011	L43899010
				5 pieces	10 pieces
L44789010 L44789011	L44779010 L44779011		L44669010	L44739010 L44739011	L43899010
4 pieces	4 pieces		10 pieces	5 pieces	10 pieces
L43689010	L43519010	L43529010	L44609010	L43639010	L43899010
4 pieces	4 pieces	2 pieces	10 pieces	5 pieces	10 pieces
L43989010 L43989011	L43579010 L43579011	L43549010	L44639010	L43939010 L43939011	L43899010
4 pieces	4 pieces	2 pieces	10 pieces	5 pieces	10 pieces
L43889010	L43559010	L43569010	L44629010	L43839010	L43899010
2 pieces	2 pieces	2 pieces	10 pieces	5 pieces	10 pieces
L43489010 L43489011	L43479010 L43479011	L43569010	L44659010	L43439010 L43439011	L43899010
2 pieces	2 pieces	2 pieces	10 pieces	5 pieces	10 pieces
L44189010	L43599010		L44649010	L44139010	L43899010
2 pieces	2 pieces		10 pieces	5 pieces	10 pieces